





孔番：OS-6号孔

孔方位：310 孔傾斜：-75





33.000m - 37.000m



孔番：OS-6号孔

孔方位：310 孔傾斜：-75





37.000m - 41.000m



孔番：OS-6号孔

孔方位：310 孔傾斜：-75





41.000m - 45.000m



孔番：OS-6号孔

孔方位：310 孔傾斜：-75





45.000m - 49.000m



孔番：OS-6号孔

孔方位：310 孔傾斜：-75





49.000m - 53.000m



孔番：OS-6号孔

孔方位：310 孔傾斜：-75




53.000m - 57.000m




孔番：OS-6号孔

孔方位：310 孔傾斜：-75

57.000m - 60.000m







OS-7(0.00~29.00m)



孔番：OS-7号孔

孔方位：310 孔傾斜：-65



1.440m - 5.000m



孔番：OS-7号孔

孔方位：310 孔傾斜：-65





5.000m - 9.000m



孔番：OS-7号孔

孔方位：310 孔傾斜：-65





9.000m - 13.000m



孔番：OS-7号孔

孔方位：310 孔傾斜：-65





13.000m - 17.000m



孔番：OS-7号孔

孔方位：310 孔傾斜：-65





17.000m - 21.000m



孔番：OS-7号孔

孔方位：310 孔傾斜：-65





21.000m - 25.000m




孔番：OS-7号孔

孔方位：310 孔傾斜：-65

25.000m - 28.823m



OS-8(0.00~30.00m)






OS-8 (30.00~32.00m)



孔番：OS-8号孔

孔方位：310 孔傾斜：-70



4.200m - 8.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70





8.000m - 12.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70





12.000m - 16.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70





16.000m - 20.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70





20.000m - 24.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70





24.000m - 28.000m



孔番：OS-8号孔

孔方位：310 孔傾斜：-70

28.000m - 32.000m




OS-9(2の1)

GL = 55.55m











L = 80.0m

標尺 (m)	標高 (m)	深度 (m)	柱状図	地質名	色調	コア採取率 (%)				最大コア長 (cm)	RQD (%)	岩級区分	記 事	
						20	40	60	80					
0					にぶい赤褐								0.00~0.40 にぶい赤褐色の砂質シルトからなる。 0.40~3.80 明褐~赤褐色のシルトからなる。	
	52.65	4.10			明褐 赤褐								3.80~4.10 明褐~赤褐色の礫混じりシルトからなる。	
5				安山岩 (角礫質)	赤褐 にぶい赤褐					36	66	Db		
					オリブ褐					65	100			
					オリブ褐 にぶい赤褐					72	98	Cb		
					暗灰黄 灰褐					30	98			
					灰赤 にぶい赤褐					73	98			
					にぶい赤褐					23	100			
10						暗灰黄 灰褐					40	77		
						灰赤 にぶい赤褐					36	82	Bb	
					にぶい赤褐					27	85			
15						灰赤 にぶい赤褐					44	74	Cb	14.51~14.63 見掛けの傾斜角70~80° の碎屑岩脈あり。
				にぶい赤褐					25	75				
				にぶい赤褐					38	100				
				にぶい赤褐					26	45				
				にぶい赤褐					82	82				
				にぶい赤褐					69	99				
20	41.16	20.35		凝灰角 礫岩	オリブ					37	88	Cb	17.08~17.18 見掛けの傾斜角80~85° の厚さ1.4~4.0cmの破砕部。厚さ0.9~2.8cmの灰褐色の砂状破砕部及び厚さ0.4~3.0cmの固結した破砕部からなる(福浦断層)。 19.12~19.14 見掛けの傾斜角75° の厚さ0.8~1.4cmの破砕部。厚さ0.8~1.4cmの固結した破砕部からなる。 20.35~20.99 黄色礫を含む。 20.35~20.90 変質。 20.73~20.93 見掛けの傾斜角60~70° の厚さ5.5~15cmの破砕部。厚さ1.8~2.0cmのオリブ黄色の粘土状破砕部及び厚さ3.7~13cmの固結した破砕部からなる。 23.10~23.19 黄色礫を含む。 25.85~25.98 黄色礫を含む。	
					オリブ					46	83			
					灰赤 にぶい赤褐					65	99			
					にぶい赤褐					32	91			
					にぶい赤褐					71	100			
					にぶい赤褐					41	96			
25				安山岩 (角礫質)	黒褐					51	99	Bb		
					黒褐					57	97			
					黒褐					34	96			
					黒褐					29	98			
30	35.40	28.50		凝灰角 礫岩	灰褐~ 明黄褐					24	83	Bb		
					暗赤~ オリブ					25	53			
					赤~ 灰白					62	100	Cb	32.06~34.34 変質。 32.60~34.00 周囲に比べやや軟質。	
					灰オリブ 赤褐					46	98			
35				凝灰角 礫岩	暗褐~ 黒褐					100	100	Bb		
					灰白~ 赤					53	93			
					暗赤褐					36	89	Cb	35.92~37.32 変質。	
					赤~ オリブ黄					40	70			
40					灰白~ 黄褐					68	97	Bb	38.26~39.79 変質。 39.79~49.73 強く変質。	
				灰白~ 黄褐					64	99				
					灰白~ 黄褐					100	100		紫字: 変質の状況を再観察し, 加筆。	








OS-9 (0.00~29.00m)



OS-9 (29.00~59.00m)

29		30
30		31
31		32
32		33
33		34
34		35
35		36
36		37
37		38
38		39
39		40
40		41
41		42
42		43
43		44
44		45
45		46
46		47
47		48
48		49
49		50
50		51
51		52
52		53
53		54
54		55
55		56
56		57
57		58
58		59





OS-9 (59.00~80.00m)

59		60
60		61
61		62
62		63
63		64
64		65
65		66
66		67
67		68
68		69
69		70
70		71
71		72
72		73
73		74
74		75
75		76
76		77
77		78
78		79
79		80

孔番：OS-9号孔

孔方位：350 孔傾斜：-45





11.000m - 15.000m







孔番：OS-9号孔

孔方位：350 孔傾斜：-45

15.000m - 19.000m







19.000m - 23.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





23.000m - 27.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





27.000m - 31.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





31.000m - 35.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





35.000m - 39.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





39.000m - 43.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





43.000m - 47.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45




47.000m - 51.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





51.000m - 55.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





55.000m - 59.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





59.000m - 63.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





63.000m - 67.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





67.000m - 71.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45





71.000m - 75.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45


75.000m - 79.000m



孔番：OS-9号孔

孔方位：350 孔傾斜：-45

79.000m - 80.000m



IM-a(2の1)

GL=37.72m

L=80.0m

標尺 (m)	標高 (m)	深度 (m)	柱状図	地質名	色調	コア採取率 (%)				最大コア長 (cm)	RQD (%)	岩級区分	記 事
						20	40	60	80				
0				-	黒褐にぶい							-	0.00~0.10 黒褐色の腐植土からなる。
	36.38	1.55			黄褐にぶい							Cb	0.10~1.10 にぶい黄褐色の礫混じり砂質シルトからなる。
					黄橙								1.10~1.55 にぶい黄橙色のシルト質砂質礫からなる。
					明黄褐							Bb	1.97~38.98 黄色礫を含む。
5					オリブ黄					45	-		
										37	85		
										20	59		
										58	79		
										51	89		
										48	96		
										30	79		
										37	77		
										43	95		
10										70	100		
										40	71		
										35	94		
										38	93		
										29	83		
										31	98		
										53	98		
										44	85		
										64	84		
20				凝灰角礫岩	オリブ黒					45	96		
					黒褐					25	41		
										28	84		
										28	93		
										20	77		
										35	70		
25										34	92		
										19	19		
										32	90		
										45	96		
										62	95		
30										35	72		
										51	72		
										17	38		
										29	60		
										41	50		
35					暗オリブ					16	51		
					オリブ黒					21	63		
										41	46		
										31	64		
40	3.95	39.00		安山岩 (角礫質)	灰オリブ					18	33		


IM-a(2の2)

GL=37.72m


L=80.0m

標尺 (m)	標高 (m)	深度 (m)	柱状図	地質名	色調	コア採取率 (%)				最大コア長 (cm)	RQD (%)	岩級区分	記事
						20	40	60	80				
40	2.99	40.10	▽▽▽▽▽	安山岩 (角礫質)	灰オリ ーブ					29	66	Bb	44.84~44.98 周囲に比べやや軟質。
					オリ ーブ								
			▽▽▽▽▽	安山岩 (均質)	暗緑灰 オリ ーブ				18	52	Ba		
	-0.21	43.80			オリ ーブ							20	
45			▽▽▽▽▽	安山岩 (角礫質)	オリ ーブ				39	76			
					黒 黒褐							8	
			▽▽▽▽▽						13	56			
	-3.68	47.80											
50			△△△△△						44	86			
			△△△△△						37	91			
													紫黒
			△△△△△						79	79			
													赤灰 黒褐
55			△△△△△						27	90			
			△△△△△						94	94			
60			△△△△△						41	90	Bb		
			△△△△△						50	69			
			△△△△△						76	82			
65			△△△△△						33	95			
													凝灰角 礫岩
			△△△△△						40	91			
													オリ ーブ
			△△△△△						58	99			
													褐灰 黒褐
70			△△△△△						20	60			
			△△△△△						55	85			
													灰
			△△△△△						24	64			
													暗灰黄 黒褐
75			△△△△△						23	76	Cb		
			△△△△△						35	97	Bb		
			△△△△△						25	75			
													褐灰 赤灰
80	-31.56	80.00	△△△△△										


IM-a (0.00~30.00m)



IM-a (30.00~60.00m)







IM-a(60.00~80.00m)



孔番：IM-a号孔

孔方位：335 孔傾斜：-60




2.500m - 6.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





6.000m - 10.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





10.000m - 14.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





14.000m - 18.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





18.000m - 22.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





22.000m - 26.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





26.000m - 30.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





30.000m - 34.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





34.000m - 38.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60




38.000m - 42.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





42.000m - 46.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





46.000m - 50.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





50.000m - 54.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





54.000m - 58.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





58.000m - 62.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





62.000m - 66.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





66.000m - 70.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60





70.000m - 74.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60



74.000m - 78.000m



孔番：IM-a号孔

孔方位：335 孔傾斜：-60

78.000m - 80.000m



余白